PRINTED: 12/26/2009 FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS1775AGC 12/15/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3250 SOUTH FORTAPACHE ROAD **ATRIA SUNLAKE** LAS VEGAS, NV 89117 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE **PREFIX PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 000 **Initial Comments** Y 000 Surveyor: 28276 The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. This Statement of Deficiencies was generated as a result of an annual State Licensure survey conducted at your facility on 12/15/09. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division. The facility was licensed for 122 Residential Facility for Group beds for elderly and disabled persons, Category II residents. The census at the time of the survey was 99. Twenty resident files were reviewed and fifteen employee files were reviewed. One discharged resident file was reviewed. The facility received a grade of B. The following deficiencies were identified: Y 103 Y 103 449.200(1)(d) Personnel File - NAC 441A / SS=D Tuberculosis NAC 449.200 1. Except as otherwise provided in subsection 2, a separate personnel file must be kept for each

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

This Regulation is not met as evidenced by:

member of the staff of a facility and must include: (d) The health certificates required pursuant to chapter 441A of NAC for the employee.

PRINTED: 12/26/2009 FORM APPROVED

Bureau of Health Care Quality and Compliance

AND DUAN OF CODDECTION 1		` '	(1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
NVS1775AGC				B. WING		12/15/2009		
NAME OF PROVIDER OR SUPPLIER			STREET ADDR	ESS, CITY, STA	TE, ZIP CODE	-		
ATRIA SUNLAKE			3250 SOUTH FORTAPACHE ROAD LAS VEGAS, NV 89117					
(X4) ID PREFIX TAG	SUMMARY ST (EACH DEFICIENC [*] REGULATORY OR L		ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD BE COM		(X5) COMPLETE DATE		
Y 103	Continued From page		Y 103					
	Surveyor: 27364 Based on record review on 12/15/09, the faci failed to ensure 1 of 15 employees complied NAC 441A.375 regarding obtaining a pre-employment physical (Employee #14).		•					
	Severity: 2 Scope: 3							
Y 105 SS=D	449.200(1)(f) Personr	heck	Y 105					
	NAC 449.200 1. Except as otherwise provided in subsection a separate personnel file must be kept for expense of the staff of a facility and must incompliance of the staff of a facility and must incompliance of compliance with NRS 449.17449.185, inclusive.		ach lude:					
	Surveyor: 27364 Based on record revie failed to ensure 2 of 1 least once every 5 ye background checks owas missing a State Employee #14 had a	ot met as evidenced by: ew on 12/15/09, the fact 15 employees had curre ears, criminal history ompleted. Employee # and FBI background ch rejected State background ch	illity ent, at 13 neck. und					
Severity: 2 Scope: 1								
Y 255 SS=C	Y 255 SS=C 449.217(6)(a)(b) Permits - Comply with NAC 446 on Food Service		446	Y 255				
	NAC 449.217 6. A residential facility	y with more than 10						

PRINTED: 12/26/2009

FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS1775AGC 12/15/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3250 SOUTH FORTAPACHE ROAD **ATRIA SUNLAKE** LAS VEGAS. NV 89117 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) (EACH DEFICIENCY MUST BE PRECEDED BY FULL COMPLETE (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 255 Continued From page 2 Y 255 residents must: (a) Comply with the standards prescribed in chapter 446 of NAC. (b) Obtain the necessary permits from the Bureau of Health Protection Services of the Division. This Regulation is not met as evidenced by: Surveyor: 27364 Based on observation on 12/15/09, the facility failed to comply with the standards prescribed in chapter 446 of NAC. The following citations were identified: * Cook pans were found soiled with abrasions * Can opener found soiled with metal shavings and food debris. * Clean pans found "wet stacked". * Floors found soiled with food debris especially between equipment. * Floor drain in back preparation area contained excessive food debris. * Mop in janitor closet was improperly stored. Severity: 1 Scope: 3

Y 444

SS=C

449.229(9) Smoke Detectors

9. Smoke detectors must be maintained in proper operating conditions at all times and must be

NAC 449.229

Y 444

PRINTED: 12/26/2009 FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS1775AGC 12/15/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3250 SOUTH FORTAPACHE ROAD **ATRIA SUNLAKE** LAS VEGAS. NV 89117 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 444 Continued From page 3 Y 444 tested monthly. The results of the tests pursuant to this subsection must be recorded and maintained at the facility. This Regulation is not met as evidenced by: Surveyor: 27364 Based on record review on 12/15/09, the facility failed to ensure smoke detectors were tested 7 out of the past 12 months. (April, May, June, July, August, September and November of 2009). Severity: 1 Scope: 3 Y 878 Y 878 449.2742(6)(a)(1) Medication / Change order SS=D NAC 449.2742 6. Except as otherwise provided in this subsection, a medication prescribed by a physician must be administered as prescribed by the physician. If a physician orders a change in the amount or times medication is to be administered to a resident: (a) The caregiver responsible for assisting in the administration of the medication shall: (1) Comply with the order.

This Regulation is not met as evidenced by:

Based on record review and interview on 12/15/09, the facility failed to ensure 4 of 15 residents received medications as prescribed

(Resident #3, #13, #18 and #19).

Surveyor: 28276

PRINTED: 12/26/2009 FORM APPROVED

Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS1775AGC 12/15/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3250 SOUTH FORTAPACHE ROAD **ATRIA SUNLAKE** LAS VEGAS, NV 89117 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 878 Continued From page 4 Y 878 Findings include: Resident #3 was prescribed: *Namenda 5 milligrams (mg) one tablet twice a day at 8:00 AM and 5:00 PM. The resident missed one 8:00 AM dose on 11/27/09. The medication technician noted on the back of the medication administration record (MAR) waiting on delivery. Resident #13 was prescribed: *Colace 100 mg one tablet twice a day at 8:00 AM and 5:00 PM. The resident missed one 5:00 PM dose on 12/4/09. The medication technician noted on the MAR still awaiting medications. *Calcium with Vitamin D one tablet three times a day at 8:00 AM, 12:00 PM, and 5:00 PM. The resident missed one 5:00 PM dose. The medication technician noted on the MAR still awaiting medications. Resident #18 was prescribed: *Hydralazine 25 mg one tablet every 6 hours. The medication bottle documented Hydralazine 25 mg one tablet every 6 hours as needed. The facility administered the medication as needed, a prescription located in the resident's chart documented the resident was to get the medication every six hours. Resident #19 was prescribed: *Aricept 10 mg one tablet every night at 5:00 PM. The resident missed one dose on 11/19/09, the form faxed to the doctor documented the resident was out of the medication. *Hydralazine 50 mg one tablet at 5:00 PM. The resident missed one dose on 11/19/09, the form faxed to the doctor documented the resident was out of the medication. *Lipitor 10 mg one tablet every night at 8:00 PM.

PRINTED: 12/26/2009 FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS1775AGC 12/15/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3250 SOUTH FORTAPACHE ROAD **ATRIA SUNLAKE** LAS VEGAS. NV 89117 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 878 Continued From page 5 Y 878 The resident missed two doses of medication on 11/2/09 and 11/3/09. The medication technician documented on the MAR not given waiting for *Lopressor 50 mg one tablet twice a day at 8:00 AM and 5:00PM. The resident missed one 5:00 PM dose on 11/19/09, the form faxed to the doctor documented the resident was out of the medication. *Lisinopril 20 mg one tablet twice a day at 8:00 AM and 5:00 PM. The resident missed two 8:00 AM doses on 10/7/09 and 10/8/09, and one 5:00 PM dose on 10/7/09. The doses were initialed and circled on the MAR. Interview with Employee #16 revealed the resident ran out of refills for the medication. The medication was delivered on 10/8/09. Severity: 2 Scope: 1 Y 936 449.2749(1)(e) Resident file-NRS 441A Y 936 SS=F **Tuberculosis** NAC 449.2749 1. A separate file must be maintained for each resident of a residential facility and retained for at least 5 years after he permanently leaves the facility. The file must be kept locked in a place that is resistant to fire and is protected against unauthorized use. The file must contain all records, letters, assessments, medical information and any other information related to the resident, including without limitation:

(e) Evidence of compliance with the provisions of chapter 441A of NRS and the regulations

This Regulation is not met as evidenced by:

adopted pursuant thereto.

Surveyor: 27364

PRINTED: 12/26/2009 FORM APPROVED

Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVS1775AGC 12/15/2009 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3250 SOUTH FORTAPACHE ROAD **ATRIA SUNLAKE** LAS VEGAS, NV 89117 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X5) (X4) ID ID (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE COMPLETE PREFIX **PREFIX** REGULATORY OR LSC IDENTIFYING INFORMATION) DATE CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Y 936 Continued From page 6 Y 936 Based on record review on 12/15/09, the facility failed to ensure 3 of 20 residents complied with NAC 441A.380 regarding tuberculosis (Resident #9, #9 and #15) which affected all residents. This was a repeat deficiency from the 12/3/08 State Licensure survey. Severity: 2 Scope: 3